

Suppliers of Premium Tools and Products for the Stone Masonry Professional

www.jedarstonesolutions.com



ABN 27 217 984 360

contact us **03 8349 8849**

SHOWROOM


U11/53 Gateway Blvd, Epping VIC 3076 sales@jedarstonesolutions.com

www.jedarstonesolutions.com



Table of contents

JSS	4
Rockany	5
Woosuk	6
Diamond Tools	7
Polishing Tools	20
Contact us	26



JSS

Jedar Stone Solutions was established in Australia in 2020 after 25 years experience in being a pioneer in the supply of tools and equipment for the marble and stone industry, accumulated through an affiliated company called Al Jedar in the Gulf. Jedar has built a solid reputation in terms of quality, reliability, and dependability.

The key to our success is our commitment to achieve customer satisfaction when it comes to the quality of our products and the efficiency in our services.

We believe in providing quality products, and hence we source top of the range products for the industries' professionals, providing specifications, knowledge, and technical support to ensure that our clients are always up to date with the use of all products.

WHY JSS

High-quality products sourced from the best suppliers across the world. 25 years of experience in the industry.

- Committed to meeting client demands.
- Efficient Service with customer satisfaction.
- Delivering quality products every time.
- Supporting small, medium, and large-scale projects.
- Your local one-stop shop.





Rockany

Established in the United Arab Emirates from humble beginnings, ROCKANY has been adapting to the needs of an ever-changing market for over 16 years, cementing itself as a leading brand of premium diamond cutting tools and supplies.

Starting off in 2004 with a primary focus on diamond tools, the ROCKANY brand made its mark with small exposures in the industry, very quickly achieving recognition in the local market. Rapid success in the diamond tool sector allowed ROCKANY to penetrate the market of Gulf Co-operation Council (GCC) countries and became well known in the industry for its quality diamond cutting tools.

ROCKANY has found and nurtured success over the years in a range of industrial sectors including:

ROCKANY has found and nurtured success over the years in a range of industrial sectors including:

- High quality grade stainless steel fasteners
- Chemicals for stone treatment
- Mastic glue, adhesives and silicone
- Cladding systems
- Polishing paper and pads

Jedar Stone Solutions is proud to launch the ROCKANY brand in Australia and looks forward to servicing you with high quality tools and products for your project.





Woosuk

Since starting out in the Diamond tool industry in 1996, WOOSUK A.T has continually strived to develop new technologies and products to service the market. When it comes to quality of manufacture WOOSUK is recognised for its competitive edge.

WOOSUK is renowned as a role model of the Diamond Tool industry for Its achievement in increasing its market share with advanced automation systems and for its competitiveness towards superior technological levels, manufacturing capabilities and efficiency.


Jedar Stone Solutions is proud to recommend and supply WOOSUK products for the industry professional, where you can be assured of reliability, dependability and quality.





Diamond Tools

- CNC Tools
- Core Drill Bit
- Dry Cutting Disc
 - Electroplated
 - Turbo
 - Continuous
 - Segmented
- Wet Cutting Disc
- Grinding Tools



CNC Tools



Rockany Brazed Diamond Router Bit - M14

Diamond Finger Bits – used for Granite and/or Marble – The segment Finger Bits, Resin Finger Bits and Brazed finger Bits have a good cutting effect and long working life.

Grite# 30 Granite - Marble - Engineered Stone

ITEM NO	SIZE
R0C037-16	16mm
R0C037-18	18mm
R0C037-20	20mm
ROC037-25	25mm



Woosuk Ceramaster Sintered Finger Bit Router for CNC

New sintered metal bond segment for extremely faster cutting speeds and longer lifetime with chip free on very high compact materials without any sharpening job. Great milling speed with low AMP.

Granite - Ceramic - Engineered Stone - Dekton

ITEM NO	SIZE
CMFB-203	D20mm X L35mm
CMFB-223	D22mm X L35mm
CMFB-205	D20mm X L50mm
CMFB-225	D22mm X L50mm



Woosuk Ceramaster Sintered Wet Core Drill bit.

Dekton - M14 & 1/2" GAS

New sintered metal bond segment for extremely faster cutting speeds and longevity- chip free on very high compact materials without having to sharpen.

Great performance with wet application by manual cutting and CNC. Dry application for hand-held machine is possible. Guaranteed to drill with a clean cut, improved cutting speed and improved lifespan.

*Various diameter and length are available upon customer's request.

Granite - Marble - Engineered Stone - Ceramic

ITEM NO	SIZE
CMCD - 20	20 mm
CMCD - 25	25mm
CMCD - 28	28mm
CMCD - 30	30mm
CMCD - 32	32mm
CMCD - 35	35mm
CMCD-40	40mm
CMCD - 45	45mm
CMCD-50	50mm
CMCD - 55	55mm
CMCD - 65	65mm
CMCD - 70	70mm
CMCD-75	75mm
CMCD - 80	80mm
CMCD-85	85mm
CMCD - 90	90mm
CMCD - 95	95mm
CMCD - 100	100mm
CMCD - 105	105mm
CMCD - 115	115mm

Core Drill Bit



Rockany Mini Core Bit. M14

High quality Core Bit for Wet Using.

Granite

ITEM NO	SIZE
ROC-CB-20	20mm
ROC-CB-25	25mm
ROC-CB-30	30mm
ROC-CB-32	32mm
ROC-CB-35	35mm
ROC-CB-40	40mm
ROC-CB-45	45mm
ROC-CB-50	50mm
ROC-CB-60	60mm
ROC-CB-70	70mm
ROC-CB-80	80mm
ROC-CB-100	100mm



Rockany Laser Dry Core Drill

Granite

ITEM NO	SIZE
ROC-LGCD-1	20mm
ROC-LGCD-2	25mm
ROC-LGCD-3	30mm
ROC-LGCD-4	32mm
ROC-LGCD-5	35mm
ROC-LGCD-6	40mm
ROC-LGCD-7	45mm
ROC-LGCD-8	51mm
ROC-LGCD-9	60mm
ROC-LGCD-10	70mm
ROC-LGCD-11	80mm
ROC-LGCD-12	100mm



Rockany Vacuum Brazed Diamond Core Drill

Premium quality long life drill bit for Porcelain, Ceramic, Marble and Limestone. M14 fitting.

Designed for clean cutting - can be used dry for Marble and Granite with cooling oil.

Granite - Marble - Engineered Stone - Porcelain

ITEM NO	SIZE
R0C001-5	5mm
ROC001-6	6mm
ROC001-8	8mm
ROC001-10	10mm
ROC001-12	12mm



Rockany Brazed Diamond Core Drill

Premium quality long life drill bit for Porcelain, Ceramic, Marble and Limestone. M14 fitting. Designed for clean cutting - can be used dry on Marble and Granite - Hexagon shank.

Grite#40

Granite - Marble - Engineered - Stone - Porcelain

ITEM NO	SIZE
ROC003HT- 5	5mm
ROC003HT- 6	6mm
R0C003HT- 8	8mm
ROC003HT-10	10mm

Core Drill Bit



Rockany Vacuum Brazed Diamond Core Drill

Premium quality long life drill bit for Porcelain, Ceramic, Marble and Limestone. M14 fitting. Designed for clean cutting - can be used dry for Marble and Granite.

Grite#30 Granite - Marble - Engineered Stone - Porcelain

ITEM NO	SIZE
R0C001-22	22mm
ROC001-25	25mm
ROC001-30	30mm
ROC001-35	35mm
ROC001-40	40mm
ROC001-45	45mm
ROC001-50	50mm
ROC001-55	55mm
ROC001-60	60mm
ROC001-65	65mm
ROC001-70	70mm
ROC001-80	80mm



Rockany Brazed Diamond Drum Wheel - M14

Designed for Wet or Dry use on Granite and Engineered Stone.

Grite#30

Granite - Marble - Engineered Stone

ITEM NO	SIZE
ROC039-50	2"
ROC039-75	3"



Rockany Electroplated Diamond Core Drill

Electroplated Diamond Core Drill for wet use. Fast fine cutting for Marble and/or Ceramic tiles.

Grite#100 Marble - Ceramic - Tiles

ITEM NO	SIZE
R0C09903-4	4mm
R0C09903-5	5mm
ROC09903-6	6mm
R0C09903-8	8mm
ROC09903-10	10mm
ROC09903-12	12mm
ROC09903-15	15mm
ROC09903-16	16mm
ROC09903-20	20mm
R0C09903-22	22mm
R0C09903-25	25mm
R0C09903-28	28mm
ROC09903-30	30mm
R0C09903-32	32mm
R0C09903-35	35mm
R0C09903-38	38mm
ROC09903-40	40mm
ROC09903-45	45mm
ROC09903-50	50mm
ROC09903-60	60mm
ROC09903-65	65mm
ROC09903-70	70mm
ROC09903-75	75mm
R0C09903-80	80mm

Dry Cutting Disc

Electroplated



Woosuk Double Side Electroplated Vanity Disk - M14 Blue

Designed for clean cutting and side grinding on marble and engineered stone. Aluminum flange attached.

Marble - Engineered Stone

	•
ITEM NO	SIZE
EPVD - 4.5	4.5"
EPVD – 5	5"
EPVD – 6	6"
EPVD – 7	7"
EPVD – 9	9"



Woosuk Electroplated Blade

The advanced electroplated bond provides excellent performance without chipping and cracking. Designed with extra high diamond contents for clean and smooth cutting. The Electroplated blade for precise cutting on all kinds of marbles and other soft stones allow longer life and smoother cut with increased speed and stability.

Marble

ITEM NO.	GRIT	SIZE	
EBL- 4	40/50	4"	
EBL- 4.5	40/50	4.5"	
EBL- 5	40/50	5"	
EBL- 6	40/50	6"	
EBL- 7	40/50	7"	
EBL- 9	40/50	9"	
EBL- 10	40/50	10"	
EBL- 12	40/50	12"	
EBL- 14	40/50	14"	



Woosuk Electroplated Contour Blade

For Curve Cutting

Designed specifically for cutting marble and soft stone sinkholes and other curve cutting applications. Double-sided Electroplated diamond protection pads allow the blade to cut a curved area cleanly, accurately and safely with ultimate control.

Marble

ITEM NO	SIZE
ECVD - 45	4.5"
ECVD - 50	5"
ECVD - 60	6"
ECVD - 70	7"

Dry Cutting Disc

Electroplated



Rockany Double Side Electroplated Blade - M14

Designed for clean cutting and side grinding on marble and engineered stone. With aluminum flange.

Grite#40

Marble/Engineered Stone

ITEM NO.	GRIT	SIZE
ROC205-125	40	5"
ROC205-180	40	7"
R0C205-230	40	9"



Rockany Electroplated Blade

Trimming blades for marble - designed with special bonding for high efficiency, precision, and chip-free cutting on wide range of marble.

Marble

ITEM NO.	GRIT	SIZE	BORE SIZE
ROC223-100	40	4"	22.23mm.
ROC201-115	40	4.5"	22.23mm.
ROC201-125	40	5"	22.23mm.
ROC201-180	40	7"	22.23mm.
R0C201-230	40	9"	22.23mm.



Rockany Electroplated Diamond Concave

For Curve Cutting

Specifically designed for cutting marble and soft stone sinkholes and other curve cutting applications. Double-sided Electroplated diamond protection pads allow the blade to cut a curved area cleanly, accurately and safely with ultimate control.

Marble

ITEM NO.	SIZE	BORE SIZE
ROC079-4.5	4.5"	22.23mm
ROC079-7	7"	22.23mm

Dry Cutting Discs

Turbo



Rockany Thin Turbo Cutter for Tile

High quality Thin Turbo Diamond Blade.

Ceramic tiles





Rockany Thin Turbo Blade

With cooling holes

Delivers a fast cut with excellent finish. Cut all hard products. Use wet or dry Self-cooling technology.

Ceramic - Hard porcelain

THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
1.2mm	7.5mm	4.5"	22.23/20H
1.2mm	7.5mm	5"	22.23/20H
1.6mm	7.5mm	6"	30/25.4/22.23H
1.6mm	7.5mm	7"	25.4/22.23H
1.6mm	7.5mm	9"	30/25.4/22.23H
1.6mm	7.5mm	10"	25.4H
2mm	7.5mm	12"	25.4H
2mm	7.5mm	14"	30/25.4H
	1.2mm 1.2mm 1.6mm 1.6mm 1.6mm 1.6mm	THICKNESS HEIGHT 1.2mm 7.5mm 1.2mm 7.5mm 1.6mm 7.5mm 1.6mm 7.5mm 1.6mm 7.5mm 2mm 7.5mm	THICKNESS HEIGHT SIZE 1.2mm 7.5mm 4.5" 1.2mm 7.5mm 5" 1.6mm 7.5mm 6" 1.6mm 7.5mm 7" 1.6mm 7.5mm 9" 1.6mm 7.5mm 10" 2mm 7.5mm 12"



Rockany Turbo Blade

Sintered narrow turbo universal blade Use where a chip free cut is not required - suitable for clay, concrete bricks, engineered stone Wet or Dry use.

Granite - Engineered stone

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-SNTB-1	2.1mm	10mm	5"	22.23/20H
ROC-SNTB-2	2.5mm	10mm	6"	22.23/20H



Rockany Split Turbo Cutter For Engineered Stone

High quality Split Turbo Diamond Blade.

Engineered Stone

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-STCE-1	2.2mm	10mm	4"	22.23-15.88H
ROC-STCE-2	2.2mm	10mm	5"	22.23H

Dry Cutting Disc

Turbo



Rockany Split Turbo Cutter

High quality Split Turbo Diamond Blade.

Granite

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-STC-1	2.2mm	10mm	4"	22.23-15.88H
ROC-STC-2	2.2mm	10mm	5"	22.23H



Rockany Sintered Turbo Tiger

TIGER Segmented Turbo SB (Soft Bond) for fast cutting Segment design for faster cooling. Dry cutting performance. Diamond inserts to resist blade jamming and Premature wear.

Granite - Hard materials

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-GBT-1	2.2mm	9mm	5"	22.23/20H
ROC-GBT-2	2.5mm	9mm	6"	22.23/20H
ROC-GBT-3	2.5mm	9mm	7"	22.23/20H
ROC-GBT-4	2.5mm	9mm	9"	25.4/22.23H



Rockany Sintered Viper Cutting Disc

Best choice for Tilers and professional trades.

Granite - Hard porcelain - Ceramic - Engineered stone

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-VHPC-1	1.2mm	10.5mm	5"	22.23H

Dry Cutting Discs

Continuous



Rockany Dekton Disc.

High quality Dekton Disc. Use it Dry / Wet

Dekton - Granite - Engineered stone

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-DD-1	1.1mm	5mm	4.5"	22.23-15.88H
ROC-DD-2	1.1mm	7mm	5"	22.23H
ROC-DD-3	1.1mm	7mm	6"	22.23H
ROC-DD-4	1.1mm	7mm	7"	22.23H



Rockany Continuous RIM Cutter for Ceramic Tile with Music Slot

High quality Continuous RIM Diamond Blade.

Ceramic tiles

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-CRT-1	1.4mm	5.5mm	4"	22.23-15.88H
ROC-CRT-2	1.4mm	5.5mm	4.5"	22.23-15.88H
ROC-CRT-3	1.4mm	5.5mm	5"	22.23H
ROC-CRT-4	1.4mm	7mm	7"	22.23H
ROC-CRT-5	1.4mm	7mm	8"	22.23H
ROC-CRT-6	1.6mm	7mm	9"	22.23H
ROC-CRT-7	1.6mm	7mm	10"	30-25.4H
ROC-CRT-8	2.2mm	7mm	12"	30-25.4H
ROC-CRT-9	2.2mm	7mm	14"	30-25.4H



Rockany Continuous RIM Cutter for Tile with Reinforced Body and Slot.

High quality Continuous RIM Diamond Blade.

Ceramic tiles

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-CRR-1	1.4mm	5.5mm	4"	22.23-15.88H
ROC-CRR-2	1.4mm	5.5mm	4.5"	22.23-15.88H
ROC-CRR-3	1.4mm	5.5mm	5"	22.23H
ROC-CRR-4	1.4mm	7mm	7"	22.23H
ROC-CRR-5	1.4mm	7mm	8"	22.23H
ROC-CRR-6	1.6mm	7mm	9"	22.23H
ROC-CRR-7	1.6mm	7mm	10"	30-25.4H
ROC-CRR-8	2.2mm	7mm	12"	30-25.4H
ROC-CRR-9	2.2mm	7mm	14"	30-25.4H



Rockany Dry Continuous RIM Music Slot Blade


Used on power tools and tile saws for precise and chip free cutting of Granite, Ceramic and Porcelain tiles. Used wet or dry.

Granite - Ceramic - Porcelain Tile.

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-DCRPB-1	1.6mm	7.5mm	4"	20H
ROC-DCRPB-2	1.6mm	7.5mm	5"	25.4 H
ROC-DCRPB-3	1.6mm	7.5mm	7"	25.4 H
ROC-DCRPB-4	2mm	7.5mm	8"	30/25.4H
ROC-DCRPB-5	2mm	7.5mm	9"	30/25.4H
ROC-DCRPB-6	2mm	7.5mm	10"	30/25.4H

Dry Cutting Discs

Segmented



Rockany Laser Welded Saw Blade.

High quality Laser Welded Saw Blade.

Concrete - Granite

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-LWS-1	2mm	10mm	4.5"	22.23H
ROC-LWS-2	2mm	10mm	5"	22.23H
ROC-LWS-3	2.2mm	10mm	7"	22.23H
ROC-LWS-4	2.2mm	10mm	9"	22.23H



Rockany Laser Blade

Professional Quality Laser welded segmented diamond blade.

Concrete - Granite

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-GBL-1	2.2mm	7mm	5"	22.23/20H
ROC-GBL-2	2.4mm	7mm	6"	22.23/20H
ROC-GBL-3	2.4mm	7mm	7"	22.23/20H
ROC-GBL-4	2.4mm	7mm	9"	22.23/20H

Wet Cutting Disc

Segmented



Rockany Blade For Artificial Stone SILENT

Clean cut with excellent results

Artificial Stone

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-AB-1S	2.8mm	10 mm	12"	60/50H
ROC-AB-2S	2.8mm	10 mm	14"	60/50H
ROC-AB-3S	3mm	10 mm	16"	60/50H




Rockany DEKTON Blade U - SOLT SILENT

Specifically for use with DEKTON products; gives a high quality, fast, neat cut

Hard granite - Dekton

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-DB-1S	2.8mm	10mm	12"	60/50H
ROC-DB-2S	3.2mm	10mm	14"	60/50H
ROC-DB-3S	3.2mm	10mm	16"	60/50H



Rockany Granite Blade - SILENT

Clean cut with excellent results

Hard granite - Quartz

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-GR-1S	3.2mm	15mm	12"	60/50H
ROC-GR-2S	3.2mm	15mm	14"	60/50H
ROC-GR-3S	3.2mm	15mm	16"	60/50H
ROC-GR-4S	3.6mm	15mm	18"	60/50H
ROC-GR-5S	3.6mm	15mm	20"	60/50H



Rockany Marble Trimming Blade STD SILENT

Clean cut with excellent results

Marble

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-MT-6S	3mm	10mm	12"	60/50H
ROC-MT-7S	3mm	10mm	14"	60/50H
ROC-MT-8S	3.2mm	10mm	16"	60/50H
ROC-MT-9S	3.6mm	10mm	18"	60/50H
ROC-MT-10S	3.6mm	10mm	20"	60/50H

Wet Cutting Discs



Rockany Marble Trimming Blade STD

Clean cut with excellent results

Marble



Durapido - Quartzite OZT Silent Core Bridge Saw Blade

New innovative Diamond Arrayed matrix technology with U Style 20mm segments can provide fast cutting speeds and longer lifetime with chip free cutting on Quartzite and very hard Granite as well. Special U slot shape segment provides sufficient water supply for better performance.

20mm wide segment with sprit U slot.

Granite - Engineered Stone - Quartzite

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-MT-1	3mm	10mm	12"	60/50H
ROC-MT-2	3mm	10mm	14"	60/50H
ROC-MT-3	3.2mm	10mm	16"	60/50H
ROC-MT-4	3.6mm	10mm	18"	60/50H
ROC-MT-5	3.6mm	10mm	20"	60/50H

THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
	20mm	14"	50/60mm
	20mm	16"	50/60mm
	20mm	18"	50/60mm
	20mm	20"	50/60mm
	THICKNESS	THICKNESS HEIGHT 20mm 20mm 20mm	### THICKNESS HEIGHT 20mm 14" 20mm 16" 20mm 18"



Rockany Wet Continuous RIM Blade Premium

High quality Continuous RIM Diamond Blade Use Wet or Dry

Marble - Ceramic tiles





Rockany Wet Continuous RIM Multi Ceramic Blade PTME

ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE	BORE SIZE
ROC-CRC-4	1.8mm	9.5mm	12"	60/25.4H

Grinding Tools



Rockany Diamond Cup Wheel

High quality Diamond Cup Wheel. Smoother finish and faster material removal. Low vibration with minimal chatter
Use it wet / dry

Stone - Concrete - Brick

ITEM NO.	SIZE	BORE SIZE	SEGMENTS	COLOUR
ROC-CW-1	4"	22.23H	8	Black
ROC-CW-2	5"	22.23H	8	Black
ROC-CW-3	7"	22.23H	10	Black
ROC-CW-4	10"	22.23H	14	Black



Rockany Multi Blade With M14 Flange for Cutting & Grinding.

Granite - Marble - Engineered stone


ITEM NO.	THICKNESS	SEGMENT HEIGHT	SIZE
ROC-GMB-1	2.2mm	7.5mm	3.3"
ROC-GMB-2	2.5mm	7.5mm	4"
ROC-GMB-3	2.5mm	7.5mm	5"
ROC-GMB-4	2.8mm	7.5mm	9"



- Hand Polishing Pad
- Edge Polishing Disk
- Polishing Disc
- Polishing Pad



Hand Polishing Pad



Rockany Electroplated Diamond Hand Pads

Perfect cleaning and polishing. Size 90 x 55mm

Granite - Marble

ITEM NO.	DESCRIPTION
ROC12001-050	Electroplated Diamond Hand Pad #50
ROC12001-100	Electroplated Diamond Hand Pad #100
ROC12001-200	Electroplated Diamond Hand Pad #200
ROC12001-400	Electroplated Diamond Hand Pad #400
ROC12001-600	Electroplated Diamond Hand Pad #600
ROC12001-800	Electroplated Diamond Hand Pad #800



Woosuk Super Epflex Hand Pads

Perfect cleaning and polishing on touch up job.

More than double lifespan compared to our standard hand pad.

Granite - Marble - Engineered Stone - Ceramic

ITEM NO.	DESCRIPTION
SEFH - 50	Epflex H/Pad #50
SEFH - 100	Epflex H/Pad #100
SEFH - 200	Epflex H/Pad #200
SEFH - 400	Epflex H/Pad #400
SEFH - 800	Resinflex H/Pad #800
SEFH - 1500	Resinflex H/Pad #1500
SEFH - 3000	Resinflex H/Pad #3000

Edge Polishing Disk





Woosuk Prestige Hybrid Edge Polishing Disk GPS Edge Polishing Disk

For Straight and Bullnose Polishing

The new revolutionary resin bond provides excellent polishing result on all types of natural stone materials, quartz and ceramic (Dekton, Lapitec, Neolith).

Using our new Revo Hybrid Edge Polishing disk will give you extra cost efficiency while delivering excellent polishing results regardless of the type of stones you are polishing.

Ceramic – Granite – Marble – Engineered Stone

CDC	Eddo	Doliching	Dick


For Straight and Bullnose Polishing Our edge polishing disk have high quality. You can always expect a great polishing finish with our edge polishing disk at a value price.

Granite - Marble - Concrete - Engineered stone

ITEM NO.	DESCRIPTION	SIZE
RHED-50	Prestige Hybrid Edge Polishing Disk #50 (150mm)	6"
RHED-100	Prestige Hybrid Edge Polishing Disk #100 (150mm)	6"
RHED-200	Prestige Hybrid Edge Polishing Disk #200 (150mm)	6"
RHED-400	Prestige Hybrid Edge Polishing Disk #400 (150mm)	6"
RHED-800	Prestige Hybrid Edge Polishing Disk #800 (150mm)	6"
RHED-1500	Prestige Hybrid Edge Polishing Disk #1500 (150mm)	6"
RHED-3000	Prestige Hybrid Edge Polishing Disk #3000 (150mm)	6"
RHED-BUFF	Prestige Hybrid Edge Polishing Disk #W/BUFF (150mm)	6"

ITEM NO.	DESCRIPTION	SIZE
ROC-EP50	Edge Polishing Disk #50	5"
ROC-EP100	Edge Polishing Disk #100	5"
ROC-EP200	Edge Polishing Disk #200	5"
ROC-EP400	Edge Polishing Disk #400	5"
ROC-EP800	Edge Polishing Disk #800	5"
ROC-EP1500	Edge Polishing Disk #1500	5"
ROC-EP3000	Edge Polishing Disk #3000	5"
ROC-EP5000	Edge Polishing Disk #5000	5"
ROC-EPBUF	Edge Polishing Disk #BUFF	5"

Polishing Pad




Ceramaster Hybrid Polishing Pads (Wet/Dry)

Specially developed resin bond provides great polishing result on very high compact materials by wet or dry application. Great polishing result leaving no residue or burning effect on materials.

Ceramic

ITEM NO.	SIZE
CMHP - 50	100mm
CMHP - 100	100mm
CMHP - 200	100mm
CMHP - 400	100mm
CMHP - 800	100mm
CMHP - 1500	100mm
CMHP - 3000	100mm



White Resin Engineered Pads

This pad is an upgraded quality with special bond and patterns for most kinds of engineered stones. Specially designed extremely flexible bond provides excellent polishing performance without residue or burning.

Granite - Marble - Engineered Stone - Ceramic

ITEM NO.	SIZE
NESP4 POS#1	100mm
NESP4 POS#2	100mm
NESP4 POS#3	100mm
NESP4 POS#4	100mm
NESP4 POS#5	100mm
NESP4 POS#6	100mm



Woosuk Super Epflex Disk - Velcro

One of the best tools for clean grinding and fast pre-polishing jobs with good polishing results. Smooth performance and fast polishing result. Can be used on floor machines. Velcro back.

Granite - Marble - Engineered Stone - Ceramic

ITEM NO.	SIZE
SEFD - 50	100mm
SEFD - 100	100mm
SEFD - 200	100mm
SEFD - 400	100mm
SEFD - 800	100mm
SEFD - 1500	100mm
SEFD - 3000	100mm



Troika 3 Steps Wet Polishing Pads

The 3 step pad covers all stone materials and reduces polishing time by 40% to 50% at a very economical cost. It provides great polishing results on all natural stones and ceramic material (Dekton, Lapitech, Neolith) under wet. Great for engineered stone as well (only wet application) Super diamond concentration for professional quality finish in just 3 steps. Position #0 is optional to optimize polishing results.

Granite - Marble - Engineered Stone - Ceramic

ITEM NO.	SIZE
3WHP-0	100mm
3WHP-1	100mm
3WHP-2	100mm
3WHP-3	100mm

Polishing Pad



Woosuk Standard Dry Polishing Pads

Our standard dry polishing pad is one of the most popular dry pads in the stone industries; delivering a high quality performance with great flexibility at an affordable cost.

Durable and high-performing against the top brands in the industry. Always expect a great polishing finish.

Granite - Some Marble

ITEM NO.	SIZE
PDP 50F	100mm
PDP 100F	100mm
PDP 200F	100mm
PDP 400F	100mm
PDP 800F	100mm
PDP 1500F	100mm
PDP 3000F	100mm
PDP B/BUFF	100mm




GPS Dry Polishing Pads

Our dry polishing pads have high quality. You can always expect a great polishing finish with our dry pads at a value price.

Granite - Some Marble

ITEM NO.	SIZE
ROC-GPSD50	100mm
ROC-GPSD100	100mm
ROC-GPSD200	100mm
ROC-GPSD400	100mm
ROC-GPSD800	100mm
ROC-GPSD1200	100mm
ROC-GPSD1500	100mm
ROC-GPSD3000	100mm
ROC-GPSDBUF	100mm



Woosuk Standard Wet Polishing Pads

Our standard wet polishing pads have dependable quality meeting high quality standards. Long-lasting pad with fast polishing performance. You can always expect a great polishing finish with our premium wet pads at a value price.

Granite - Marble - Some Engineered Stone

ITEM NO.	SIZE
WPP 50F	100mm
WPP 100F	100mm
WPP 200F	100mm
WPP 400F	100mm
WPP 800F	100mm
WPP 1500F	100mm
WPP 3000F	100mm
WPP B/BUFF	100mm



GPS Wet Polishing Pads

Our wet polishing pads have high quality. You can always expect a great polishing finish with our wet pads at a value price.

Granite - Marble - Some Engineered Stone

ITEM NO.	SIZE
ROC-GPS50	100mm
ROC-GPS100	100mm
ROC-GPS200	100mm
ROC-GPS400	100mm
ROC-GPS800	100mm
ROC-GPS1200	100mm
ROC-GPS1500	100mm
ROC-GPS3000	100mm
ROC-GPSBUF	100mm

Polishing Pad



GPS 3 Steps Wet Polishing Pads

Our 3 step polishing pads have high quality. You can always expect a great polishing finish with our 3 step pads at a value price.

Granite - Marble - Engineered Stone

ITEM NO.	SIZE
ROC3S1	100mm
ROC3S2	100mm
ROC3S3	100mm



GPS Rubber Holder M14

Our rubber holder have high quality.

ITEM NO.	SIZE
ROC-RH100	4 "



Woosuk Super Aggressive Pads – Aluminum Backer M14 / Fiber Glass Backer M14

REVO Resin Cup Wheel

New revolutionary resin compounds provide great smooth cutting performance without any vibration. Chip-free on all types of stone materials, ceramic and concrete. Very light weight allows easy handling but works as an aggressive metal bonded cup wheel. Super aggressive cutting performance cuts down on working time. Versatile tool for horning, grinding, shaping and bevelling on all stone materials, porcelain, ceramic, glass materials and removing fibreglass mesh backing. Wet or Dry condition.

Granite – Marble – Engineered Stone – Ceramic – Quartz (Dekton, Lapitech, Neolith), Porcelain, Concrete

4"– Aluminum Backer M14 / 5", 7"– Fibre Glass Backer M14 Available diamond grit: #50, #100, #200, #400

ITEM NO.	SIZE
RVRC4-30	4"
RVRC4-50	4"
RVRC4-100	4"
RVRC4-200	4"



ABN 27 217 984 360

contact us **03 8349 8849**

SHOWROOM

U11/53 Gateway Blvd, Epping VIC 3076 sales@jedarstonesolutions.com

www.jedarstonesolutions.com